

# Safety data sheet

Page: 1/12

BASF Safety data sheet  
Date / Revised: 13.09.2022  
Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(30679970/SDS\_CPA\_AU/EN)

Date of print): 14.03.2023

## 1. Substance/preparation and manufacturer/supplier identification

**Product name:**  
**Seclira Pressurised Fly Bait**

Use: crop protection product, insecticide

Recommended use: insecticide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)  
Level 12, 28 Freshwater Place Southbank  
Victoria 3006, AUSTRALIA  
Telephone: +61 3 8855-6600  
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]  
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

---

## 2. Hazard identification

Classification of the substance and mixture:

Specific target organ toxicity — single exposure: Cat.3 (Vapours may cause drowsiness and dizziness.)

Specific target organ toxicity — single exposure: Cat.3 (irritating to respiratory system)

Hazardous to the aquatic environment - acute: Cat.3

Hazardous to the aquatic environment - chronic: Cat.3

Aerosols: Cat.2

Label elements and precautionary statement:

Pictogram:



Signal Word:  
Warning

Hazard Statement:

|      |  |
|------|--|
| H223 | Flammable aerosol.                                 |
| H336 | May cause drowsiness or dizziness.                 |
| H335 | May cause respiratory irritation.                  |
| H402 | Harmful to aquatic life.                           |
| H412 | Harmful to aquatic life with long lasting effects. |
| H229 | Pressurized container: May burst if heated.        |

Precautionary Statement:

|      |   |
|------|---|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children.  |
| P103 | Read carefully and follow all instructions.                           |

Precautionary Statements (Prevention):

|      |  |
|------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P271 | Use only outdoors or in a well-ventilated area.  |
| P261 | Avoid breathing mist or vapour or spray.   |
| P211 | Do not spray on an open flame or other ignition source.  |
| P251 | Do not pierce or burn, even after use.   |

Precautionary Statements (Response):

|             |  |
|-------------|--|
| P312        | Call a POISON CENTER or physician if you feel unwell.                      |
| P304 + P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |

Precautionary Statements (Storage):

|             |  |
|-------------|--|
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed.           |
| P410 + P412 | Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. |
| P405        | Store locked up.   |

Precautionary Statements (Disposal):

|      |   |
|------|---|
| P501 | Dispose of contents and container to hazardous or special waste collection point. |
|------|---|

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Repeated exposure may cause skin dryness or cracking.

### 3. Composition/information on ingredients

Chemical nature

BASF Safety data sheet  
 Date / Revised: 13.09.2022  
 Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(30679970/SDS\_CPA\_AU/EN)

Date of print): 14.03.2023

Substance nature: mixture

crop protection product, insecticide

### **Hazardous ingredients**

dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Content (W/W): 1 %

CAS Number: 165252-70-0

Acute Tox.: Cat. 4 (oral)

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1

| 2-Propanone

Content (W/W): < 30 %

CAS Number: 67-64-1

Asp. Tox.: Cat. 2

Flam. Liq.: Cat. 2

Eye Dam./Irrit.: Cat. 2A

STOT SE: Cat. 3 (drowsiness and dizziness)

STOT SE: Cat. 3 (irr. to respiratory syst.)

dimethyl ether

Content (W/W): < 20 %

CAS Number: 115-10-6

Press. Gas: Cat. Liquef. Gas

Flam. gases (incl. chem. unstable gases): Cat.

1A

## **4. First-Aid Measures**

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

Suitable extinguishing media:  
water spray, dry powder, foam, carbon dioxide

Specific hazards:  
carbon monoxide, carbon dioxide, nitrogen oxides  
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Special protective equipment:  
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:  
Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental Release Measures

Personal precautions:  
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:  
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:  
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).  
For large amounts: Dike spillage. Pump off product.  
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

---

## 7. Handling and Storage

### Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:  
Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature.

---

## 8. Exposure controls and personal protection

### Components with occupational exposure limits

acetone, 67-64-1;

TWA value 250 ppm (ACGIHTLV)

STEL value 500 ppm (ACGIHTLV)

TWA value 1,185 mg/m<sup>3</sup> ; 500 ppm (AU NOEL)

STEL value 2,375 mg/m<sup>3</sup> ; 1,000 ppm (AU NOEL)

dimethyl ether, 115-10-6;

STEL value 950 mg/m<sup>3</sup> ; 500 ppm (AU NOEL)

TWA value 760 mg/m<sup>3</sup> ; 400 ppm (AU NOEL)

### Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Hand protection not required.

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Eye protection not required.

Body protection:

Body protection not required.

General safety and hygiene measures:

Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form: liquid  
Colour: pale straw yellow  
Odour: of acetone  
Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 8 - 10  
(deionized water, 1 %(m), 25 °C)

Melting point: The product has not been tested.

Boiling point: approx. -23.7 °C  
Information applies to the solvent.

Flash point: -41 °C  
Information applies to the solvent.

Evaporation rate: not applicable

Flammability (solid/gas): not applicable  
Lower explosion limit: 3.3 %(V)  
Information applies to the solvent.

Upper explosion limit: 26.2 %(V)  
Information applies to the solvent.

Ignition temperature: 350 °C  
Information applies to the solvent.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

Vapour pressure: approx. 5,100 hPa  
(20 °C)  
Information applies to the solvent.

Density: approx. 1.00 g/cm<sup>3</sup>  
(20 °C)

Relative vapour density (air): not applicable

Solubility in water: dispersible  
Partitioning coefficient n-octanol/water (log Pow):  
The statements are based on the properties of the individual components.

BASF Safety data sheet  
Date / Revised: 13.09.2022  
Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(30679970/SDS\_CPA\_AU/EN)

Date of print): 14.03.2023

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine  
Partitioning coefficient n-octanol/water (log Pow): -0.549  
(25 °C)

-----  
Viscosity, dynamic: approx. 2.34 mPa.s  
(20 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

Conditions to avoid:  
See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:  
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:  
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:  
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:  
The product is stable if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Routes of exposure

#### Acute oral toxicity

Experimental/calculated data:  
LD50rat (oral): > 5,000 mg/kg (OECD Guideline 425)  
No mortality was observed.

#### Acute inhalation toxicity

LC50 rat (by inhalation): > 5.09 mg/l 4 h (OECD Guideline 403)  
No mortality was observed.

#### Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)  
No mortality was observed.

#### Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

## Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.  
(Further) symptoms and / or effects are not known so far

## Irritation

Assessment of irritating effects:  
Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:  
Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

## Respiratory/Skin sensitization

Assessment of sensitization:  
There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:  
Buehler test guinea pig: (OECD Guideline 406)

## Germ cell mutagenicity

Assessment of mutagenicity:  
Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

## Carcinogenicity

Assessment of carcinogenicity:  
The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

## Reproductive toxicity

Assessment of reproduction toxicity:  
The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

## Developmental toxicity

Assessment of teratogenicity:  
Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

## Specific target organ toxicity (single exposure)

Possible narcotic effects (drowsiness or dizziness). Causes temporary irritation of the respiratory tract.



Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organotoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

### Aspiration hazard

No aspiration hazard expected.

### Other relevant toxicity information

Misuse can be harmful to health.

Has a degreasing effect on skin.

---

## 12. Ecological Information

### Ecotoxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Oncorhynchus mykiss*

LC50 (96 h) > 100 mg/l, *Cyprinus carpio*  
 -----

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic invertebrates:

EC50 (48 h) > 1,000 mg/l, *Daphnia magna*

EC50 (96 h) 0.79 mg/l, *Mysidopsis bahia*  
 -----

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic plants:

EC50 (72 h) 97.6 mg/l (biomass), *Pseudokirchneriella subcapitata*  
 -----

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Chronic toxicity to aquatic invertebrates:

No observed effect concentration, 0.089 mg/l, *Mysidopsis bahia*  
 -----

## Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

## Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment biodegradation and elimination (H<sub>2</sub>O):

Not readily biodegradable (by OECD criteria).

## Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

## Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## 13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Emptied gas pressure vessels must not be opened.

---

## 14. Transport Information

**Domestic transport:**

BASF Safety data sheet  
Date / Revised: 13.09.2022  
Product: **Seclira Pressurised Fly Bait**

Version: 2.0

(30679970/SDS\_CPA\_AU/EN)

Date of print): 14.03.2023

UN number or ID number: UN 1950  
UN proper shipping name: AEROSOLS  
Transport hazard class(es): 2.1  
Packing group: Not applicable  
Environmental hazards: no

Special precautions for user: None known

### **Further information**

IERG Number:49

### **Sea transport**

IMDG

UN number or ID number: UN 1950  
UN proper shipping name: AEROSOLS  
Transport hazard class(es): 2.1  
Packing group: Not applicable  
Environmental hazards: no

Special precautions for user: Marine pollutant: NO  
EmS: F-D; S-U

### **Air transport**

IATA/ICAO

UN number or ID number: UN 1950  
UN proper shipping name: AEROSOLS, FLAMMABLE  
Transport hazard class(es): 2.1  
Packing group: Not applicable  
Environmental hazards: No Mark as dangerous for the environment is needed  
Special precautions for user: None known

---

## **15. Regulatory Information**

### **Other regulations**

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

APVMA Approval No.: 83016

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

---

## 16. Other Information

---

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.