



# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 15.05.2013

Revision: 15.05.2013

## 1 . IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

**Product Name:** RUDCHEM PYMATIC AEROSOL**Other Name:** Pymatic metered aerosol, Coopermatic, Time Mist**Recommended Use of the Chemical and Restriction on Use:**

Metered insecticide to suit 'Syncromist' and 'Coopermatic' insecticide dispensers

**Details of Manufacturer or Importer:**C.Rudduck Pty Ltd  
2/247 Ingles Street  
Port Melbourne VIC 3207**Phone Number:** 03 9676 4444**Emergency telephone number:** 0418 355 009

## 2 . HAZARDS IDENTIFICATION

**Hazardous Nature:**

GHS02 flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: may burst if heated.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

**Label Elements****Signal Word** Danger**Hazard Statements**

H222-H229 Extremely flammable aerosol. Pressurized container: may burst if heated.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

## 3 . COMPOSITION AND INFORMATION ON INGREDIENTS

**Chemical Characterization: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 15.05.2013

Revision: 15.05.2013

**Product Name: RUDCHEM PYMATIC AEROSOL**

(Contd. of page 1)

Hazardous Components:		
68476-85-7	Petroleum gases, liquefied ⚠ Flam. Gas 1, H220; Flam. Liq. 1, H224; Press. Gas, H280	30-60%
64742-48-9	Naphtha (petroleum), hydrotreated heavy ⚠ Asp. Tox. 1, H304; H227	10-30%
51-03-6	2-(2-butoxyethoxy)ethyl 6-propylpiperonylether ⚠ Acute Tox. 3, H331; ⚠ Aquatic Chronic 2, H411; Acute Tox. 5, H313	1-9%
8003-34-7	Pyrethrins and Pyrethroids ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; ⚠ Acute Tox. 4, H332	1-3%

## 4. FIRST AID MEASURES

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

**Eye Contact:**

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

**Ingestion:**

If swallowed, do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical and foam.

**Specific Hazards Arising from the Chemical**

Closed containers may explode when exposed to extreme heat. Use water sprays to cool fire exposed containers.

**Special Protective Equipment and Precautions for Fire Fighters**

Wear Safe Work Australia approved self-contained breathing apparatus and full protective clothing.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear Safe Work Australia approved self-contained breathing apparatus and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Shut off all possible sources of ignition and increase ventilation. If safe, damaged cans should be placed in a container outdoors, away from all ignition sources, until pressure has dissipated.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a container outdoors, away from ignition sources, until pressure has dissipated. Ensure adequate ventilation.

(Contd. on page 3)



# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 15.05.2013

Revision: 15.05.2013

**Product Name: RUDCHEM PYMATIC AEROSOL**

(Contd. of page 2)

## 7. HANDLING AND STORAGE

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use in a well-ventilated area. DO NOT incinerate or puncture aerosol cans.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Protect from heat, sparks, open flames and hot surfaces. DO NOT incinerate or puncture aerosol cans. Avoid physical damage to containers. Check regularly for spills and leaks. Store at temperatures below 40 °C. Keep away from strong oxidising agents.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Exposure Standards (Safe Work Australia):****68476-85-7 Petroleum gases, liquefied**NES 1800 mg/m<sup>3</sup>, 1000 ppm**8003-34-7 Pyrethrins and Pyrethroids**NES 5 mg/m<sup>3</sup>**Engineering Controls:**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

**Personal Protective Equipment (PPE):****Respiratory Protection:**

Respiratory protection is not necessary if the ventilation is adequate. Avoid working in and breathing spray mist.

**Skin Protection:**

Impermeable gloves and protective clothing. See Australian Standards AS/NZS 2161, 2210.1 and 2210.2 for more information.

**Eye and Face Protection:**

Safety glasses with top and side shields or goggles. See Australian Standards AS/NZS 1336 and 1337 for more information.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:**

**Form:** Aerosol  
**Colour:** Clear  
**Odour:** Spearmint odour

**Initial Boiling Point/Boiling Range:** No information available**Flash Point:** Not applicable, as aerosol.**Flammability:** Extremely flammable aerosol**Auto-ignition Temperature:** No information available**Decomposition Temperature:** No information available**Explosion Limits:****Lower:** No information available**Upper:** No information available**Vapour Pressure:** 50-60 psi

(Contd. on page 4)



# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 15.05.2013

Revision: 15.05.2013

**Product Name: RUDCHEM PYMATIC AEROSOL**

(Contd. of page 3)

**Relative Density:** No information available  
**Vapour Density:** No information available  
**Solubility in Water:** Immiscible  
**VOC:** 98 %

## 10 . STABILITY AND REACTIVITY

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of use.

**Conditions to Avoid:** Heat, sparks, open flames and hot surfaces.

**Incompatible Materials:** Strong oxidising agents

**Hazardous Decomposition Products:** No information available

## 11 . TOXICOLOGICAL INFORMATION

### Toxicity:

LD <sub>50</sub> /LC <sub>50</sub> Values Relevant for Classification:		
<b>64742-48-9 Naphtha (petroleum), hydrotreated heavy</b>		
Oral	LD <sub>50</sub>	>5000 mg/kg (rat)
Dermal	LD <sub>50</sub>	>3000 mg/kg (rab)
<b>51-03-6 2-(2-butoxyethoxy)ethyl 6-propylpiperonylether</b>		
Oral	LD <sub>50</sub>	7181 mg/kg (rat)
Dermal	LD <sub>50</sub>	>2000 mg/kg (rabbit)
Inhalation	LC <sub>50</sub> /4 h	>5.9 mg/l (rat)
<b>8003-34-7 Pyrethrins and Pyrethroids</b>		
Oral	LD <sub>50</sub>	200 mg/kg mg/kg (rat)
Dermal	LD <sub>50</sub>	300 mg/kg mg/kg (rabbit)

### Acute Health Effects

#### Inhalation:

May cause respiratory irritation, dizziness or headache. Intentional misuse by deliberately inhaling content can be fatal.

**Skin:** May cause skin irritation and defatting.

**Eye:** May cause eye irritation.

**Ingestion:** May cause nausea, abdominal irritation, vomiting and pain.

**Skin Corrosion / Irritation:** Not expected to be a hazard.

**Serious Eye Damage / Irritation:** Not expected to be a hazard.

**Respiratory or Skin Sensitisation:** No sensitising effects known.

**Germ Cell Mutagenicity:** No information available

#### Carcinogenicity:

Piperonyl butoxide is classified by IARC as a Group 3 - Not classifiable as to its carcinogenicity to humans.

**Reproductive Toxicity:** No information available

**Specific Target Organ Toxicity (STOT) - Single Exposure:** Not expected to be a hazard.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:** Not expected to be a hazard.

**Aspiration Hazard:** May be fatal if swallowed and enters airways.

(Contd. on page 5)



# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 15.05.2013

Revision: 15.05.2013

**Product Name:** RUDCHEM PYMATIC AEROSOL

(Contd. of page 4)

**Chronic Health Effects:** Prolonged or repeated exposure may cause dizziness and headache.

## 12 . ECOLOGICAL INFORMATION

**Ecotoxicity:****Aquatic toxicity:**

Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

**Persistence and Degradability:** No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.

## 13 . DISPOSAL CONSIDERATIONS

**Disposal Methods and Containers:**Dispose according to applicable local and state government regulations.  
DO NOT incinerate or puncture aerosol cans.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 . TRANSPORT INFORMATION

<b>UN Number</b>	1950
<b>ADG, IMDG, IATA</b>	
<b>Proper Shipping Name</b>	AEROSOLS
<b>Dangerous Goods Class</b>	
<b>ADG Class:</b>	2 5F Gases.
<b>IMDG Class:</b>	2.1
<b>Packing Group:</b>	Not applicable
<b>EMS Number:</b>	F-D,S-U
<b>Hazchem Code:</b>	2YE
<b>Special Provisions:</b>	63, 190, 277, 327
<b>Limited Quantities:</b>	See SP 277
<b>Packagings &amp; IBCs - Packing Instruction:</b>	P003, LP02
<b>Packagings &amp; IBCs - Special Packing Provisions:</b>	PP17, PP87, L2

## 15 . REGULATORY INFORMATION

**Australian Inventory of Chemical Substances:**

68476-85-7	Petroleum gases, liquefied
64742-48-9	Naphtha (petroleum), hydrotreated heavy
51-03-6	2-(2-butoxyethoxy)ethyl 6-propylpiperonylether
8003-34-7	Pyrethrins and Pyrethroids

## 16 . OTHER INFORMATION

**Creation Date:** 15.05.2013

(Contd. on page 6)



# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 15.05.2013

Revision: 15.05.2013

**Product Name: RUDCHEM PYMATIC AEROSOL**

(Contd. of page 5)

**Prepared by:** MSDS.COM.AU Pty Ltd[www.msds.com.au](http://www.msds.com.au)**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
VOC: Volatile Organic Compounds  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
IARC: International Agency for Research on Cancer  
STEL: Short Term Exposure Limit  
TWA: Time Weighted Average

**Disclaimer**

This MSDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. C.Rudduck Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.